





PUDRASIZ NİTRİL / POWDER FREE NITRILE

DEPOLAMA ÖNERİLERİ:
Nitril Muayene Eldiveni sıcaklığın 104°F (40°C) üzerinde yükseldiği yerlerde saklamayın. Sert, kuru ve iyi havalandırılmış bir yerde saklayın. Açılan Nitril Muayene Eldiveni kutuları, renk değişikliğini önlemek için doğrudan güneş ışığına süreden sonra bu ürünlerde son kullanma tarihi için gerçek zamanlı kararlılık alanlarında depolanmamalıdır. Nitril Muayene Eldiven'in uygun olmayan bir şekilde depolanması, raf ömrünün ve ürün etkinliğinin azalmasına neden olacaktır.

KULLANIM:
Bu bilgi, hijyenlerde gerek koruma süresi ve karışım ile saf kimyasallar arasındaki farkı yaratmaz. Kimyasal direnci, yalnızca avuç içinden alınan numunelerden laboratuvar koşulları altında değerlendirilmiştir (okuyun) (okuyun) (okuyun) ve sadece test edilen kimyasalla ilgilidir. Karşımda kimyasal madde kullanılırsa, farklı olabilir. Hijyende koşullar, sıcaklık, aşınma ve bozulmaya bağlı olarak bu testlerden farklı olacaktır. Eldivenlerin tasarlanan kullanım için uygun olup olmadığını kontrol etmeniz önerilir. Kullanıldığında koruyucu eldivenler, fiziksel özelliklerin değişmesi nedeniyle tehlikeli kimyasala daha az direnci gösterebilir. Hareketler, sürtünme, kimyasal zararlıdır. Konfor kimyasallar için, kimyasallara dirençli eldiven seçimi konusunda en önemli faktör olabilir. Kullanmadan önce eldivenlerde herhangi bir kullanıma, yeni bir eldiven.

DIKKAT:
Sesizlik, sıcaklık, aşınma, bozulma gibi performans etkileyen diğer faktörlerden dolayı iş yerinde gerçek koruma süresini yansıtmaz. Ambalajın açılmasında kusur veya hasar gören eldivenleri gösteren eldiven kullanmayın. Kullanıldığında yarıpranını sürü kullanmayın. Günyüzü.

KENDİLE:
Bu ürünün 100 Karboksilatlı Butadien Akriolatın Kopolimerden yapılır ve alerjik reaksiyonlara neden olabilir. Doğal lateksi içermez.

TEMİZLİK:
Eldiven ellette stabilite niteliktedir.

RAF ÖMRÜ:
Ambalaj tarihinden itibaren 5 yıl.

Mevcut Eldiven Ebatları / Glove Sizes Available

6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)
--------	-------	-------	-------	---------

Eliz İş Güvenliği Ekipmanları Sanayi ve Ticaret A.Ş.
Adres: Yakarın Düşük Mahallesi Nispetiye Yolu Çaldıran No:1742 Üsküdar - İSTANBUL.
Telefon: 0216 499 53 51 www.asasgorenitil.com

DN ISO 9002:2015 - DIN EN ISO 14001:2015 - ISO 45001:2018 - DIN EN ISO 39001:2013

STORAGE RECOMMENDATION:
Do not store Nitrile Examination Gloves where temperature may rise above 104°F (40°C). Store in cool, dry and well ventilated areas. Opened boxes of Nitrile Examination Gloves should be shielded from exposure to direct sunlight or fluorescent lighting to prevent discoloration. Real time stability testing for expiration date on this product's after accelerated aging process are declared as 5 years. Nitrile Examination Gloves should not store in damp or high humidity areas. Improper storage of Nitrile Examination Gloves will result in decreased shelf life and product efficacy.

USE:
This information does not reflect the actual duration of protection in the workplace and the differentiation between mixtures and pure chemicals. The chemical resistance has been assessed under laboratory conditions from samples taken from the palm only (except in cases where the glove is equal to or over 400mm where the cuff is tested also) and relates only to the chemical tested. It can be different if the chemical is used in the mixture; it is recommended to check that the gloves are suitable for the intended use because the conditions at the workplace may differ from the type test depending on temperature, abrasion and degradation. When used, protective gloves may provide less resistance to the dangerous chemical due to changes in physical properties. Movements, snagging rubbing, degradation caused by the chemical contact etc. may reduce the actual use time significantly. For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves. Before usage, inspect the gloves for any defect or imperfections. If in doubt do not use the gloves, get a new pair.

CAUTION:
The levels do not reflect the actual duration of protection in the workplace due to other factors influencing the performance such as temperature, abrasion, degradation. Do not use glove which shows signs of imperfection or deterioration on opening the package. Discard immediately gloves which have become worn out or damaged when used. Never wear gloves which are wet or dirty inside or outside.

INGREDIENTS:
This product is made from 100% Carboxylated Butadiene Acrylonitrile Copolymer and does not contain natural latex which may cause allergic reactions.

CLEANING:
N/A as the glove is disposable in nature.

SHELF LIFE:
5 years from manufacturing date.

EU uygunluk beyanına www.asasgorenitil.com/tegoris:doc nitrihri ziyaret ederek ulaşabilirsiniz.
Declaration of conformity can be accessible by visiting www.asasgorenitil.com/tegoris:doc

CE 0598
Regulation (EU) 2016/425
ISO 374-1/Type B ISO 374-5
JKT VIRUS
100% LATEX POWDER FREE AQL 1.5
CE Class 1 Directive 93/44/EEC EN 455-1 EN 455-2
13 JAN 2021
13 JAN 2026
EF013A131

EU Ürün Değerlendirme Merkezi: CENTEXBEL GENT (Dış Üretim Kuruluşu: NEDAP) Technologiepark 7, BE-9002 Zwinaarsel, Belçika. Kimyasal dirençlilik testi eklerindeki Lm, PPE değerlendirme 2016/425 Madde 17'ye uygunluk, ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, EN ISO 39001:2013, EN ISO 14001:2015, EN ISO 9001:2015, EN ISO 45001:2018, EN ISO 39001:2013

CN-200

CASTOR BLUE Disposable Gloves

POWDER FREE NITRILE

Specifications

It is produced from a specially formulated nitrile butadiene polymer.

Since it does not contain latex, the risk of hypersensitivity and allergic reaction is reduced. It provides a better comfort for long-term use, thus reducing fatigue.

IT IS STRONG!

Offers better abrasion, puncture and tear resistance than natural rubber and vinyl gloves.

POWDER FREE!

It reduces the risk of powder contamination.

PROVIDES PERFECT GRIP!

Its textured surface provides strong grip.



CE 0598

Regulation (EU) 2016/425



ISO 374-1/ Type B




JKT

ISO 374-5



VIRUS

Available Glove Sizes



CE Class 1
Directive 93/442/EEC
EN 455-1 EN 455-2



Sectors

Automotive
Oil & Gas

Waste Management

Construction and Service

Engineering and Manufacturing

Food Production and Preparation

Medical, Veterinary, Dental, Medicine

Storage, Transportation and Logistics

Packaging:

Each pack contains 100 gloves.

There are 20 packages in each box.



ANNEX

EU TYPE EXAMINATION CERTIFICATE Nr. 090/2019/1720

1. Applicant

ESAS IS Güvenligi Ekipmanlari Sanayi VE Ticaret A.S.
Yukari Dudullu Mahallesi Nato Yolu Caddesi No: 174/A
Ümraniye Istanbul
Turkey

2. Description

EN ISO 374-1 / Type B



J K T

EN ISO 374-5



VIRUS

3. Materials and accessories

Gloves

- CASTOR® CN-200



4. Technical documentation

Summary test results

EN 420:2003+A1:2009

Gloves

CASTOR® CN-200

Method	Description	Result	Class
EN 1413	pH - textile	PASS	
EN 14362-1	AZO dyes for colored gloves	/	/
EN 420 length	Length	PASS	
EN 420 dexterity	Dexterity	/	/

EN ISO 374-1:2016

Gloves

CASTOR® CN-200

Method	Description	Result	Class
EN 374-2	Penetration	PASS	
EN 16523-1	Permeation J	PASS	Level 3
EN 16523-1	Permeation K	PASS	Level 6
EN 16523-1	Permeation T	PASS	Level 6
EN 374-4	Degradation J	PASS	
EN 374-4	Degradation K	PASS	
EN 374-4	Degradation T	PASS	
Type of glove		PASS	Type B

EN ISO 374-5:2016

Gloves

CASTOR® CN-200

Method	Description	Result	Class
EN 374-2	Penetration	PASS	
ISO 16604 Proc. B	Protection against viruses	PASS	

Description/Picture of article

Article **Nitrile Gloves CASTOR® CN-200**



The above picture is a general picture of the article. Possible variations of the above article can be present in the technical file.

Note :

Any modification in material, design, or other technical features must be brought to the attention of the Notified Body.



EU DECLARATION OF CONFORMITY
(According to PPE Regulation 2016/425, Article 15 and Annex IX)

We, **ESAS İŞ GÜVENLİĞİ EKİPMANLARI SANAYİ VE TİCARET A.Ş.**

Declare that the new PPE described hereafter:

CASTOR ® Powder Free Nitrile Gloves
(Product code: CN-200)

is identical to the PPE Regulation 2016/425 which is the subject of EU certificate of conformity No. 090/2019/1720 issued by Centexbel Gent, Technologiëpart 70, 9052 Zwijanaarde, Belgium

is subject to the procedure set out in Module D of PPE Regulation 2016/425 under the supervision of the notified body SGS Fimko OY, P.O. Box 30 (Sarkiniementie 3), 00211 Helsinki, Finland.

Product lot number: Assigning of lot number using 9 digits system as below:

Plant	Line	Compounding Lot			Month	Date	Year		
					Production				

References to harmonised standards used: EN420:2003+A1:2009, EN ISO 374-1:2016, EN ISO 374-5:2016.

Turkey on date 27th November 2019

Signature

Name:

Position:

ESAS İŞ GÜVENLİĞİ
EKİPMANLARI SANAYİ VE TİC. A.Ş.
Yukarı Dudullu Mahallesi Nato Yolu Cad.
No:174/2 Ümraniye / İSTANBUL
Sarıgazi Vergi Dairesi:377 045 3983

Page 1 out of 1

Esas İş Güvenliği Ekipmanları Sanayi ve Ticaret A.Ş. Adres: Yukarı Dudullu Mahallesi Nato Yolu Caddesi
No:174/2 Ümraniye - İSTANBUL Telefon: 0216 499 53 61 / Faks: 0216 499 53 62 / E-Posta:
info@esasisguvenligi.com

The management system of

Alliance Rubber Products Sdn. Bhd.

Lot 2716 & 2720, MK 7, Kawasan Perindustrian Bukit Panchor
14300 Nibong Tebal, Pulau Pinang
MALAYSIA

has been assessed and certified as meeting the requirements of

Regulation (EU) 2016/425

Module D

For the following activities

Manufacture of Nitrile Chemical Protective Gloves and Natural Latex Chemical Protective Gloves.

Note: All products marked CE0598 must have a valid EU type-examination certificate issued under Module B or a valid EC type-examination certificate issued under Article 10 of the PPE Directive 89/686/EEC.

This certificate is valid from 23 July 2021 until 22 July 2024 and remains valid subject to satisfactory surveillance audits.

Re certification audit due before 09 April 2024

Issue 3. Certified since 22 July 2018

This is a multi-site certification

Additional site details are listed on the subsequent page

Authorised by

SGS FIMKO OY, Notified Body 0598

Takomitie 8, FI-00380 Helsinki, Finland

t +358 9 696 361 | f +358 9 692 5474 | www.sgs.com



Alliance Rubber Products Sdn. Bhd.

Regulation (EU) 2016/425

Module D

Issue 3

Detailed scope

Manufacture of Nitrile Chemical Protective Gloves and Natural Latex Chemical Protective Gloves.

Note: All products marked CE0598 must have a valid EU type-examination certificate issued under Module B or a valid EC type-examination certificate issued under Article 10 of the PPE Directive 89/686/EEC.

Additional facilities

Lot 2743 & 2744, MK 7, Kawasan Perindustrian Bukit Panchor
14300 Nibong Tebal, Pulau Pinang
MALAYSIA

